

Work Order ID 147398

Wednesday, June 08, 2016 3:11:49 PM

147398

Page 1

Item ID: D412-760-111

Accept

N900040100

Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Aft Cabin Wall & Pylon Protector

Start Date: 6/16/2016 Start Qty: 1.00

Cust Item ID:

Required Date: 6/21/2016 Req'd Qty: 1.00

Customer:

Reference:

Approvals: Process Plan: MJS Date: JUN 10 2016

Tooling:

Date:

Run Start ***NR1***

QC:

Date:

SPC (Y/N):

Date:

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
IIN D412-760	G								
100	Document Control	0.00							
100									
DC	Memo	0.00							
Doc.Control -USB or Paperwork	Photocopy bluefile & type labels per PPP D412-760-111 CHG002								
110	Pick Kit	0.00							
110									
Packaging	Memo	0.00							
Packaging									
120	QC4- 100% Inspect kits for completeness	0.00							
120									
QC	Memo	0.00							
Quality Control									

JUL 13 2016

JUL 14 2016

JUL 13 2016

JUL 14 2016

DAS 21 JUL 14 2016

DAS 26 JUL 14 2016

DAS 27

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QS1042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐				FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐					
OTHER : ☐									

Work Order ID 147398

Wednesday, June 08, 2016 3:11:49 PM

147398

Page 2

Item ID: D412-760-111 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Aft Cabin Wall & Pylon Protector
 Start Date: 6/16/2016 Start Qty: 1.00 ***1*** Cust Item ID:
 Required Date: 6/21/2016 Req'd Qty: 1.00 ***1*** Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130		0.00				DAS 27 9-89	X2		
130									
Packaging	Memo	0.00							
Packaging	Identify and pack for shipping as per PPP D412-760-011 Location: FG040								
	X1 sold								
140	QC21- Final Inspection - Work Order Release	0.00				DAS 21 9-89			
140									
QC	Memo	0.02							
Quality Control									

JUL 14 2016

JUL 14 2016
 dm 16/07/14

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QS1042) Approval 		
Description Work Order Deviation				Disposition					
							Completed By		
							Lead hand / Supervisor Approval Verification		
							QC / QA Coordinator Approval		
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
OTHER : ☐									

Wednesday, June 08, 2016 3:11:52 PM

147398

D412-760-111

Required Date: 6/21/2016

Required Qty: 1.00

Comments: IPP Rev:A 11.04.19 per ecn10-646 DD verf:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D3933-1 *D3933-1* Aft Wall Protector		Manufactured	No			110	Each	2.0000	1	12	148361	DAS 6 9-89	DAS 26 9-89
DAS 27 9-89				<u>Location</u> PKG 145034				<u>Loc Qty</u> 2 2		<u>Loc Code</u>			
D3933-2 *D3933-2* Aft Wall Protector, RH		Manufactured	No			110	Each	0.0000	1	12	148379	DAS 6 9-89	DAS 26 9-89
D3935-1 *D3935-1* Pylon Wall Protector, LH		Manufactured	No			110	Each	0.0000	1	12	148364	DAS 6 9-89	DAS 26 9-89
D3935-2 *D3935-2* Pylon Wall		Manufactured	No			110	Each	0.0000	1	12	148374	DAS 6 9-89	DAS 26 9-89
D3942-1 *D3942-1* Angle		Manufactured	No			110	Each	98.0000	14	128		DAS 6 9-89	DAS 26 9-89
DAS 27 9-89				<u>Location</u> ST060 144910				<u>Loc Qty</u> 98 98		<u>Loc Code</u>			
D3942-3 *D3942-3* Clip		Manufactured	No			110	Each	21.0000	10	20	3145553	DAS 6 9-89	DAS 26 9-89
DAS 27 9-89				<u>Location</u> ST060 146196				<u>Loc Qty</u> 21 21		<u>Loc Code</u>			

JUL 14 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause				FAULT CATEGORY					
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐				Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐					
				OTHER : ☐					

Picklist Print

Wednesday, June 08, 2016 3:11:52 PM

Page 2

Work Order ID: 147398

147398

Parent Item: D412-760-111

D412-760-111

Parent Item Name: Aft Cabin Wall & Pylon Protector

Start Date: 6/16/2016

Required Date: 6/21/2016

Start Qty: 1.00

Required Qty: 1.00

MS27039-4-10

Purchased

No

110

Each

32.0000

4

MS27039-4-10

Screw

DAS
27
9-89LocationLoc QtyLoc Code

ST279

32

m131885

32

110

Each

21.0000

6

MS27039-4-14

Purchased

No

MS27039-4-14

SCREW

DAS
27
9-89LocationLoc QtyLoc Code

ST279

21

m134702

21

110

Each

35.0000

6

MS27039-5-08

Purchased

No

MS27039-5-08

Screw

DAS
27
9-89LocationLoc QtyLoc Code

ST279

35

m134719

35

110

Each

35.0000

8

MS27039-5-12

Purchased

No

MS27039-5-12

Screw

DAS
27
9-89LocationLoc QtyLoc Code

ST278

35

m134676

5

m134861

30

JUL 14 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date : _____		Step #: _____		QTY Effective : _____		MRB (QSI042) Approval 	
Description Work Order Deviation				Disposition			
				Completed By			
				Lead hand / Supervisor Approval Verification			
				QC / QA Coordinator Approval			
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐					
OTHER : ☐							

Qty -111	Qty -113	Part Number	Description
X		D412-760-111	AFT CABIN WALL AND PYLON PROTECTOR KIT
	X	D412-760-113	AFT CABIN WALL AND PYLON PROTECTOR KIT
1	1	D3933-1	LH AFT CABIN WALL PROTECTOR
1	1	D3933-2	RH AFT CABIN WALL PROTECTOR
1		D3935-1	LH PYLON PROTECTOR
1		D3935-2	RH PYLON PROTECTOR
	1	D3935-3	LH PYLON PROTECTOR
	1	D3935-4	RH PYLON PROTECTOR
14	14	D3942-1	ANGLE
10	10	D3942-3	CLIP
4	4	MS27039-4-10	SCREW
6	6	MS27039-4-14	SCREW
6	6	MS27039-5-08	SCREW
8	8	MS27039-5-12	SCREW

Qty -211	Qty -213	Qty -215	Qty -217	Part Number	Description
X				D412-760-211	BAGGAGE COMPARTMENT PROTECTOR KIT
	X			D412-760-213	BAGGAGE COMPARTMENT CEILING PROTECTOR KIT
		X		D412-760-215	CARGO FLOOR PROTECTOR KIT
			X	D412-760-217	LIGHTWEIGHT BAGGAGE COMPARTMENT PROTECTOR KIT
36	7	8		D3628-1	CUPPED WASHER
			43	D3628-5	CUPPED WASHER
1				D3876-1	RH FORWARD WALL PROTECTOR
1				D3876-3	FORWARD WALL PROTECTOR
1				D3876-5	LH WALL PROTECTOR
1				D3876-7	AFT WALL PROTECTOR
1				D3876-9	RH AFT WALL PROTECTOR
1		1		D3876-11	FLOOR PROTECTOR
1				D3876-13	DOOR PROTECTOR
1		1		D3952-1	PLACARD
			1	D3952-3	PLACARD
	1			D4438-1	CEILING PROTECTOR
			1	D4640-1	RH FWD WALL PROTECTOR
			1	D4640-3	FORWARD WALL PROTECTOR
			1	D4640-5	LH WALL PROTECTOR
			1	D4640-7	AFT WALL PROTECTOR
			1	D4640-9	RH AFT WALL PROTECTOR
			1	D4640-11	FLOOR PROTECTOR
			1	D4640-13	DOOR PROTECTOR
			1	D4640-15	CEILING PROTECTOR
36		8	36	80-004-2-6	INSERT
	7		7	80-004-2-8	INSERT
36		8	36	MS27039-1-04	SCREW
	7		7	MS27039-1-05	SCREW
	3		3	MS27039-1-10	SCREW
	6		6	NAS1149F0363P	WASHER (AN960-10)

• COPYRIGHT © 2007 BY DART AEROSPACE LTD. •
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

Revision: G

Date: 13.01.03